


# MISCELLANEOUS PARTS




**AR-4580**  
Cam disc, reversible

**ADAMS RITE**



**28-0064-02** Right Hand  
**28-0064-03** Left Hand  
Replacement spring for 4160 handle.



**31-0485 (HY485)**  
Spindle for 4160 handle.

**TWIN/6000 SERIES  
TWIN EXCLUSIVE SERIES**

**ASSA**




**Pins and Springs**

- AS-867065** Cylinder spring
- AS-867066** Top pin 1-2
- AS-867067** Top pin 3-4
- AS-867068** Top pin 5-6
- AS-867069** Top pin 7-8-9
- AS-867070** Master Pin 1
- AS-867071** Master Pin 2
- AS-867072** Master Pin 3
- AS-867073** Master Pin 4
- AS-867074** Master Pin 5
- AS-867075** Master Pin 6
- AS-867076** Master Pin 7
- AS-867077** Master Pin 8
- AS-867078** Bottom pin 1
- AS-867079** Bottom pin 2
- AS-867080** Bottom pin 3
- AS-867081** Bottom pin 4
- AS-867082** Bottom pin 5
- AS-867083** Bottom pin 6
- AS-867084** Bottom pin 7
- AS-867085** Bottom pin 8
- AS-867086** Bottom pin 9
- AS-867015** Side pin (Twin)
- AS-353837** Right Hand Side Pin (V-10)
- AS-353838** Left Hand Side Pin (V-10)
- AS-867087** Side pin spring (Twin)
- AS-867088** Side bar spring (Twin)
- AS-868141** Pin chamber closing strip-  
for Mort, Rim, KIK

\$-Discontinued. Call for closeout prices.

**Cams & Tailpieces**


- AS-867445** #1 Adams Rite Cam
- AS-867446** #3 Corbin Clover Leaf Cam
- AS-867447** #4 Corbin Bever Tail Cam
- AS-867452** #2 Sargent Cam
- AS-867453** #6 Schlage "L" Cam
- AS-867450** Horizontal & Vertical Rim Tailpiece Kit
- AS-872610** #5 Yale/Standard Cam



**Screws**

- \$AS-867090** Phillips Screw For Cam
- AS-868138** Slotted Screw For Rim Tailpiece
- AS-900209** Kit, includes plate and 2 screws

**INTERCHANGEABLE CORE PARTS**



**AR-001**

**AR-AM2**

**AR-004**

N Series, Exit  
Devices, Alarms

**AR-006**

Schlage



**AR-18**  
Adams Rite

**MORTISE HOUSING PARTS**

- | <u>Stock No.</u>      | <u>Description</u>       |
|-----------------------|--------------------------|
| <b>AR-3-48 X 3/16</b> | Cam Set Screw            |
| <b>AR-C16CR-122</b>   | Washer                   |
| <b>AR-C16CR-121A</b>  | Adaptor Assembly - 7 pin |

**Deadbolt Parts**

- \$AS-806268\*** Spacer ring for 1-3/8" thick door
- \$AS-806269\*** Adaptor ring for 2-/8" dia. hole
- \*Specify Finish: 605, 609, 624, 626

©ZIPF LOCK COMPANY


# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS

# Kwikset

### SPINDLES

*Limited Availability  
Discontinued by factory*



- KW-4738** 640 Series Spindle Assembly
- KW-5333** 400, 410 Spindle Assembly
- KW-5334** 401, 404, 411, 414, 451 Spindle Assembly
- KW-5344** 300 Spindle Assembly


### SCREWS

*Limited Availability - Discontinued by factory*


- KW-2715** 665 One Way Interior Screw (Old Style)
- KW-2761** 660 Regular Interior Screw (Old Style)
- KW-3224** 885 One Way Oval Head Screw
- KW-3225** 885 Regular Interior Screw
- KW-4424** 880/885 Mounting Studs
- KW-6070** 660/870 Regular Interior Screw (New Style)
- KW-6071** 665/875 Regular Interior Screw (New Style)
- KW-6118** 665/875 One Way Oval Head Screw

### THICK DOOR KITS


- KW-81248** 980/982 Deadbolts
  - KW-81249** 985/984 Deadbolts
  - KW-81691** 780/970/880 Deadbolts
  - KW-84221** 785/975/885 Deadbolts
  - KW-86129** 660/870 Deadbolts
  - KW-86130** 665/875 Deadbolts
  - KW-81714** Ultramax Knobsets (720, 740)
  - KW-81706** Maximum Knobsets (100, 200, 400, 401)
  - KW-81706** Maximum Levers
  - KW-81706** Security Knobsets (100, 200, 400, 401)
- Stock US-3 finish on above parts.




**KW-84215**  
Plug Clip (Deadbolt)



**KW-84345**  
Plug Clip (Lockset)




**KW-81892**  
For installing dummies on hollow core doors.  
US-3, 5, 15, 15A, 26, 26D



**KW-85757** 5 Pin  
**KW-83561** 6 Pin  
Tumbler Pin Cover

### TORQUE BLADES FOR: 630/660/780/880



- KW-84991** Std. Door 630/660/780/880 Torque Blade—1-3/8" - 1-3/4"
- KW-84992** Thick Door 630/660/780/880 Torque Blade—1-7/8" - 2-1/4"
- KW-84987** Std. Door 635/665/785/885 Torque Blade Exterior—1-3/8" - 1-3/4"
- KW-84993** Std. Door 635/665/780/885 Torque Blade Interior—1-3/8" - 1-3/4"
- KW-84988** Thick Door 635/665/785/885 Torque Blade Exterior—1-7/8" - 2-1/4"
- KW-84994** Thick Door 635/665/785/885 Torque Blade Interior—1-7/8" - 2-1/4"

### 664 CONVERSION KIT

**KW-664 US-3, 5, 26D** For converting Kwikset 663 (one sided deadbolt) to a 667 (one sided w/exterior plate). Kit includes: Blank plate, screws and torque blade.

### PIN AND SPRING REFILLS FOR KWIKSET:

#### Descriptions

- Tumbler Springs
- PK Balls
- .180 Driver Pin (Top)
- .180 Regular Anti-pick Pin (Top)
- .160 PK Pin (Top)
- .160 PK Anti-pick Pin (Top)
- .172 Bottom Pin-#1
- .195 Bottom Pin-#2
- .218 Bottom Pin-#3
- .241 Bottom Pin-#4

#### \*Stock #

- LB-KW1777**
- KW-82208**
- LB-KW1858**
- KW-80370**
- KW-83117**
- KW-80369**
- LB-KW3100**
- LB-KW3101**
- LB-KW3103**
- LB-KW3105**

#### Descriptions

- .264 Bottom Pin-#5
  - .287 Bottom Pin-#6
  - .023 Master Pin-#1
  - .046 Master Pin-#2
  - .069 Master Pin-#3
  - .092 Master Pin-#4
  - .115 Master Pin-#5
  - .138 Master Pin-#6
- \*LB- made by LAB.

#### \*Stock #

- LB-KW3106**
- LB-KW3107**
- LB-KW3108**
- LB-KW3110**
- LB-KW3112**
- LB-KW3113**
- LB-KW3114**
- LB-KW3125**

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## PRIMUS MISCELLANEOUS PARTS



### Cylinder Bars & Drivers

### Stock No.

(Must use Primus driver, cap pin location at 2 o'clock rather than 10 o'clock.)

#### A & H-Series Knobs - Everest & Primus

Bar & Driver, Standard **SP-A301-337\***

Bar & Driver, ORB (Except A73) **SP-A301-338**

\*Requires use of disc C603-098

#### AL-Series Levers

Bar & Driver, Standard (Except AL85) **SC-A700-031**

#### BC100 Series Deadbolts - 6 Pin

Driver (Everest & Primus) **SP-B502-949**

Tailpiece, BC160 **SC-B202-557**

Tailpiece, BC162 **SC-B202-269**

#### B660 Series Deadbolts - 6 Pin - Everest & Primus

B660/663 (1-3/8" to 2-1/2") **SP-B610-084**

B662 (1-3/8 to 2") **SP-B610-085**

#### D-Series (Not D85)

Bar & Driver, Knobs, Standard **SC-C603-524**

### Cylinder Bars & Drivers

### Stock No.

#### D-Series (Not D85) cont'd

Bar & Driver, Knobs (2" to 2-1/2")

**SP-A301-337\***

Bar & Driver, Levers

**SC-C604-243**

Bar & Driver, "ND" Levers

**SP-N523-022**

Full Size I/C core driver & retainer

**SC-04-033**

\* Requires use of disc C603-098

#### Rim Cylinder

Driver, Standard (non-IC)

**SC-B502-310**

Tailpiece, standard (non-IC)

**SC-B502-899**

#### Miscellaneous Primus

### Stock No.

Finger Pin Kit(finger pins, springs,40-066)

**SP-40-070**

Key Gage

**SC-40-104**

Key Order Form

**SP-MS-E110**

Facesheet

**SP-MS-E120**

Signature Card

**SP-MS-E130**













ID Control Register

**SP-MS-E160**

## SPECIAL CAMS

*Note-Cams pictured smaller than actual size.*

### SPECIAL CAMS FOR SCHLAGE MORTISE CYLINDERS TO OPERATE OTHER MANUFACTURERS' LOCKS

	Classic Conventional 20-001	Interchangeable Core 20-061, 20-771, 26-090 80-102, 80-132, 80-302	Everest & Primus 20-001 Everest 20-500 & 20-700 Primus
<b>Corbin/Ruswin®</b> DL4000 Series. (Old Corbin 420 & Ruswin 1503)	<b>SC-B520-295</b> 	<b>SC-B520-254</b> 	<b>SP-B520-366</b> 
<b>Corbin/Ruswin®</b> ML2200 Series. All functions except ML2255 & ML2242 inside.	<b>SC-B520-233</b> 	<b>SC-B520-253</b> 	<b>SP-B520-309</b> 
<b>Corbin/Ruswin® A65</b> ML2200 master ring deadbolt functions manufactured before 6/10/93 <b>Ruswin</b> Old cast iron residential locks	<b>SC-B520-223</b> 	<b>SC-B520-360</b> 	<b>SP-B520-367</b> 
<b>Sargent®</b> 13-0660. All functions except 16 inside and 50 outside. <b>Yale®</b> -2160 <b>Arrow®</b> -#004	<b>SC-B520-256</b> 	<b>SC-B520-296</b> 	<b>SP-B520-329</b> 

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS

## MISCELLANEOUS PARTS




SC-C503-347



LB-SC-C503-115



LB-SC-C503-116



SC-B202-370



SC-B520-375



SC-B502-310



SC-C503-346



SC-B202-369



SC-B202-453



SC-B502-899



SC-C503-118



SC-B202-269  
SC-B220-032 1"  
SC-B220-036\*

\*See chart.



SC-B202-557 1-27/32"  
SC-B202-558 2"



SC-A508-614 (sold as a set)  
for ORB, COM, PLA designs



SC-A508-606 (sold as a set)  
for other designs

### BAR AND/OR DRIVER

Stock No.	Description (Pictured above)
SC-A508-606	A, H Series classic conventional 6-pin (not ORB).
SC-A508-614	A Series ORB classic conventional 6-pin (not A73 or A85).
SC-A700-031	AL Series-except hotel function: Bar and driver-not pictured.
SC-B202-269	BC162; B162: 5-pin 1-5/16" to 1-5/8" door; B252/B462: 6-pin 1-3/8", 2-1/4", 2-1/2" door.
SC-B202-369	B252/B462: 6-pin 1-5/8", 1-3/4", 3" door std bar.
SC-B202-370	B252/B462: 5-pin 1-3/8" door std, 6-pin 1-1/2", 2", 2-3/4" door.
SC-B202-453	B252/B462: 5-pin 2-1/2" door.
SC-B202-557	B160: 5-pin 1-3/8" to 1-3/4" door; 6-pin 1-5/8" to 1-3/4" door.
SC-B202-558	B160: 5 or 6-pin 1-13/16" to 2-1/4" door; B250/B460: 5 or 6-pin 1-3/8" to 2-3/4" door std bar; B560: 1-5/8" to 2-1/8" door; F160N; H110/H153 upper cylinder.
SC-B220-032	B162: 5-pin over 1-5/8" to 1-13/16" door, 6-pin over 1-11/16" to 2" door.
SC-B220-036	B162: 6-pin over 2" to 2-1/4" door; F162N.
SC-B520-375	BC100: Driver, classic conventional.
SC-B610-044	B660, B663 driver bar(s) and retainer. 1-3/8" to 2-1/2" doors-not pictured.
SC-B610-045	B662 driver bar(s) and retainer. 1-3/8" to 2" doors-not pictured.
SC-B610-046	B662 driver bar(s) and retainer. Greater than 2" to 2-1/2" doors-not pictured.
SC-C503-346	Spacer for 20-033, 20-066, 20-067, 20-069.
SC-C603-524	D Series: Bar and driver for ATH, RHO and SPA cylinder (23-013)-not pictured.
SC-C604-243	D Series: Bar and driver for knob cylinder (23-001)-not pictured.
SC-F206-437	Thick door kit for F/FA single cylinder handlesets, 2" to 2-1/2". Specify finish: 605, 609, 613, 619, 626.
SC-N523-023	ND Series: Bar and driver for lever cylinder (23-065)-not pictured.
SC-S605-192	S Series: Cylinder sleeve-not pictured.
SC-S605-228	S Series: Driver-not pictured.
SC-XB11-990	BC160P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-101 and 1 ea. B502-999). <b>Specify finish: 605, 626</b>
SC-XB11-991	BC162P: for doors over 1-3/4" to 2-1/4". (2 ea. B600-056 and 2 ea. B220-036). <b>Specify finish: 605, 626</b>

### RIM CYLINDER BAR

Stock No.	Description (Pictured above)
SC-B502-899	Rim Cylinder: Bar #1 for 20-021, Bar #2 for 20-002.

©ZIPF LOCK COMPANY

# MISCELLANEOUS PARTS



## Primus Pins and Springs

#1 Finger Pin	<b>Stock No.</b> SP-34-001
#2 Finger Pin	SP-34-002
#3 Finger Pin	SP-34-003
#4 Finger Pin	SP-34-004
#6 Finger Pin	SP-34-006
Finger Pin Spring	SP-C603-951
Everest Check Pin Spring	SP-C603-951
Sidebar Spring	SP-C603-952
Sidebar	SP-C603-950

Top, Master & Bottom pins can be used on Primus & Everest Primus "Controlled Access" and Schlage Standard & Everest Cylinders.

## Regular & Primus Pins and Springs

		<u>*LAB Stock No.</u>
#1 Top Pin	34-101	LB-SC-34-101
#2 Top Pin	34-102	LB-SC-34-102
#3 Top Pin	34-103	LB-SC-34-103
#2 Master Pin	34-202	LB-SC-34-202
#3 Master Pin	34-203	LB-SC-34-203
#4 Master Pin	34-204	LB-SC-34-204
#5 Master Pin	34-205	LB-SC-34-205
#6 Master Pin	34-206	LB-SC-34-206
#7 Master Pin	34-207	LB-SC-34-207
#8 Master Pin	34-208	LB-SC-34-208
#9 Master Pin	34-209	LB-SC-34-209
#0 Bottom Pin	34-300	LB-SC-34-300
#1 Bottom Pin	34-301	LB-SC-34-301
#2 Bottom Pin	34-302	LB-SC-34-302
#3 Bottom Pin	34-303	LB-SC-34-303
#4 Bottom Pin	34-304	LB-SC-34-304
#5 Bottom Pin	34-305	LB-SC-34-305
#6 Bottom Pin	34-306	LB-SC-34-306
#7 Bottom Pin	34-307	LB-SC-34-307
#8 Bottom Pin	34-308	LB-SC-34-308
#9 Bottom Pin	34-309	LB-SC-34-309

\*LAB "Original Pins for Schlage". Sold in plastic Vials.

## F Series Compressible Cylinder


Top T-Pin	<b>Stock No.</b> SC-F506-451
Removable Cap	SC-F506-452
T-Pin Top Spring	SC-F506-453

## Pins and Springs

Pin Tumbler Spring	<b>Stock No.</b> LB-SPR-115L
Cap Retainer Pin Spring	LB-SC-C503-115
SFIC 20S Tumbler Spring	SC-C504-114
Full Size I/C Control Bottom Pin	SC-C603-967
Retainer Cap Pin	LB-SC-C503-116
Retainer Cap	SC-C503-118



**IL-862-00-10 (2CR)**  
Minimum of 10



**IL-862A-00-10 (2CE)**  
Minimum of 10



**YA-1145**  
Minimum of 5



**YA-1151**  
.220-24  
Rim Lock Screws



**YA-1151A**  
.220-24  
Rim Lock Screws

**Can't find a part you  
need ?  
Please give us a  
call  
1-800-848-1577**